

3081

B.Tech. (Civil) 4th Semester (G-Scheme)
Examination, July-2022

DESIGN OF CONCRETE STRUCTURE

Paper- PCC-(CE-204-G)

Time allowed : 3 hours]

[Maximum marks : 75

Note : Question No. 1 is compulsory.

1. (a) Differentiate between Limit State and Working Stress Methods. 5×3=15
- (b) Write down the assumptions made in RC member subjected to bending.
- (c) Describe the unbalanced sections.
- (d) Write the equations of N.A. of flanged beam.
- (e) Write down all the effective lengths of compression members.

Section - A

2. Draw and explain the stress-strain relationship of steel and concrete in details. 15
3. Design a rectangular beam section for an ultimate moment of 150kNm. Use M20 concrete and Fe 415 steel. Assume suitable data. 15

3081-P-3-Q-9 (22)

[P.T.O.]

(2)

3081

Section - B

4. A simply supported reinforced concrete beam is 250mm wide, 500mm effective depth and is reinforced with 5 bars of 18mm diameter as tensile steel. If the beam is subjected to a factored shear of 140 kN at the support and two of the main bars are cranked up at 45°, find the spacing of 2-legged 6mm diameter stirrups at support. Use M 20 concrete and Fe 415 steel. 15
5. Describe the deflection and moment relationship for limiting values of span to depth. 15

Section - C

6. Describe the steps to be followed in the design of a one way slab. 15
7. Design a reinforced concrete cantilever type retaining wall having a 5m tall stem. The wall retains soil level with its top, the soil weighs 18000 N/m³ and has an angle of repose of 30°. The safe bearing capacity of the soil is 200 kN/m². Use M20 concrete and Fe 415 steel. 15

3081

(3)

3081

Section - D

8. A reinforced concrete column of 2.75m effective length carries an axial load of 1600 kN. Design the column using M20 concrete and Fe 415 steel. 15
9. A square column 400mm × 400mm carries an axial load of 1500 kN. Design the column and a square footing for the column. The safe bearing capacity of the soil is 150mm². Use M20 concrete and Fe 250 steel. 15

3081